

OPTONICA



LED Backlit Slim Квадратен Мини Панел

Мощност

- 6W

Цвят на светлината



Топла светлина

Stamps





Техническа Спецификация

| | |
|-------------------------------------|----------------|
| Каталожен Номер | 2965 |
| Brand | Optonica |
| Product Code | DL6-B1 |
| Power | 6W |
| Energy Consumption | 6 kWh/1000h |
| Input voltage | AC85-265V |
| Flux | 360 lm |
| FLUX per watt | 60lm/W |
| IP | 20 |
| Dimmable | No |
| Correlated Color Temperature | 2700K |
| Light Color | Топла светлина |
| EAN Code | 3800156629653 |
| Energy Efficiency Label | G |

| | |
|---|-----------------|
| Beam angle | 120° |
| Hole Size | 105x105mm |
| On/Off Cycles | 25 000x |
| Instant On | 0.1s |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 80 |
| Life span | 25 000 Hours |
| Body Color | White |
| Lumen maintenance at end of service life | 70% |
| Size of product | 120x120x24mm |
| Size of package | 14.5x2.8x12.5cm |
| Size of Box | 30x30x40cm |
| Items per pack | 1 |
| Items per box | 60 |
| Material | Aluminium |
| Gross weight | 0,105 kg |
| Net weight | 0,077 kg |

Warranty

2 Years