

OPTONICA




Spot LED COB Downlight 30 W rond rotatif blanc - Bridgelux

Puissance

- 30W

Couleur de lumiere



CCT

Stamps





Technical Specification

| | |
|-------------------------------------|-------------------|
| Reference catalogue | 12030 |
| Brand | Optonica |
| Product Code | CB30-A5 |
| Power | 30W |
| Energy Consumption | 30 kWh/1000h |
| Input voltage | AC85-265V |
| Flux | 3000 lm |
| FLUX per watt | 100 lm/W |
| IP | 20 |
| Dimmable | No |
| Correlated Color Temperature | 3000K/4000K/6000K |
| Light Color | CCT |
| EAN Code | 3801057120300 |
| Energy Efficiency Label | E |

| | |
|---|---------------|
| Beam angle | 24° |
| Hole Size | Φ185 mm |
| On/Off Cycles | 25 000x |
| Instant On | 0.1s |
| Material | Aluminium |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 90 |
| Life span | 25 000 Hours |
| Lumen maintenance at end of service life | 70% |
| Size of product | 200x55 mm |
| Size of package | 210x215x80 mm |
| Items per pack | 1 |
| Items per box | 10 |
| Color Of The Shell | White |
| Warranty | 2 Years |