

NOARK



**DC Rotary switch  
disconnector  
Ex9IR50-  
26/15/PV2/2**

**Stamps**



## Technical Specification

<b>Catalog Number</b>	113508
<b>Brand</b>	NOARK
<b>IP</b>	20
<b>EAN Code</b>	8592765135087
<b>Color</b>	Grey

<b>Number of poles (total)</b>	2
<b>Version as main switch</b>	Yes
<b>Version as maintenance-/service switch</b>	Yes
<b>Version as safety switch</b>	No
<b>Version as emergency stop installation</b>	No
<b>Version as reversing switch</b>	No
<b>Number of switches</b>	1
<b>Rated operating voltage [V]</b>	1500
<b>Rated permanent current Iu [A]</b>	26
<b>Rated short-time withstand current Icw</b>	0.7
<b>Device construction</b>	Built-in device fixed built-in technique
<b>Suitable for ground mounting</b>	No
<b>Suitable for front mounting 4-hole</b>	No
<b>Suitable for front mounting center</b>	Yes
<b>Suitable for distribution board installation</b>	Yes
<b>Suitable for intermediate mounting</b>	Yes
<b>Type of control element</b>	Door coupling rotary drive

<b>Interlockable</b>	No
<b>Type of electrical connection of main circuit</b>	Cable clamp
<b>Warranty</b>	5 Years