

OPTONICA



Aplique de Pared LED Blanco Redondo

Potencia **Color de luz**


• 6W



Blanco cálido

Stamps





Especificación técnica

| | |
|-------------------------------------|---------------|
| Número de catálogo | 7463 |
| Brand | Optonica |
| Product Code | WL6-A2 |
| Power | 6W |
| Energy Consumption | 6 kWh/1000h |
| Input voltage | AC220-240V |
| Flux | 660 lm |
| FLUX per watt | 110lm/W |
| IP | 54 |
| Dimmable | No |
| Correlated Color Temperature | 3000K |
| Light Color | Blanco cálido |
| Wattage Equivalent | 44W |
| EAN Code | 3800156674639 |

| | |
|---|-------------------|
| Energy Efficiency Label | E |
| Beam angle | Adjustable 0°-90° |
| Power Factor | 0.9 |
| On/Off Cycles | 25 000x |
| Instant On | 0.1s |
| Material | Aluminium |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Color Code | 830 |
| Body Color | White |
| LED Type | Epistar |
| Lumen maintenance at end of service life | 70% |
| Size of product | φ140x100 mm |
| Size of package | 155x125x115 mm |
| Items per pack | 1 |
| Items per box | 20 |
| Color Of The Shell | White |
| Gross weight | 0,700 kg |

| | |
|-------------------|----------|
| Net weight | 0,620 kg |
| Warranty | 2 Years |