



### Striscia LED 5054 Impermeabile 3 Anni di Garanzia



#### Potenza

16W/m

#### Colore della luce

RGB

#### Stamps



RoHS



-80



## Specifiche tecniche

|                                |                 |   |                   |
|--------------------------------|-----------------|---|-------------------|
| <b>Brand</b>                   | Optonica        | <b>Instant On</b>                               | 0.1s              |
| <b>Product Code</b>            | ST5050-A8       | <b>Material</b>                                 | Flex PCB          |
| <b>Power</b>                   | 16W/m           | <b>Operating Frequency</b>                      | 50-60 Hz          |
| <b>Energy Consumption</b>      | 16 kWh/m /1000h | <b>Temperature</b>                              | -20°C / +40°C     |
| <b>Input voltage</b>           | DC12V           | <b>Life span</b>                                | 25 000 Hours      |
| <b>Flux</b>                    | 1600 LM/M       | <b>Weight of Product</b>                        | 310gr./roll       |
| <b>IP</b>                      | 65              | <b>LED Type</b>                                 | SMD               |
| <b>Dimmable</b>                | Yes             | <b>Power per meter</b>                          | 6W/m each Channel |
| <b>Light Color</b>             | RGB             | <b>Lumen maintenance at end of service life</b> | 70%               |
| <b>EAN Code</b>                | 3800156644878   | <b>Size of product</b>                          | 12x2 mm           |
| <b>Energy Efficiency Label</b> | F               | <b>Channels</b>                                 | 3                 |
| <b>Beam angle</b>              | 120°            | <b>Gross weight</b>                             | 0,310 kg          |
| <b>Power Factor</b>            | 0.95            | <b>Net weight</b>                               | 0,019 kg          |
| <b>On/Off Cycles</b>           | 25 000x         | <b>Warranty</b>                                 | 3 Years           |