


# OPTONICA



## Tubo LED T8 Edizione Professionale



**Potenza**   **Colore della luce**

• 18W



Luce calda

### Stamps



## Specifiche tecniche

|                                     |               |
|-------------------------------------|---------------|
| <b>Numero di catalogo</b>           | 5624-M        |
| <b>Brand</b>                        | Optonica      |
| <b>Product Code</b>                 | TU18-A1       |
| <b>Socket</b>                       | T8            |
| <b>Power</b>                        | 18W           |
| <b>Energy Consumption</b>           | 18 kWh/1000h  |
| <b>Input voltage</b>                | AC175-265V    |
| <b>Flux</b>                         | 1440lm        |
| <b>FLUX per watt</b>                | 80lm/W        |
| <b>IP</b>                           | 20            |
| <b>Dimmable</b>                     | No            |
| <b>Correlated Color Temperature</b> | 2800K         |
| <b>Light Color</b>                  | Luce calda    |
| <b>Wattage Equivalent</b>           | 160W          |
| <b>EAN Code</b>                     | 3800156656246 |
| <b>Energy Efficiency Label</b>      | G             |

|                                                 |                 |
|-------------------------------------------------|-----------------|
| <b>Beam angle</b>                               | 140°            |
| <b>Power Factor</b>                             | 0.9             |
| <b>On/Off Cycles</b>                            | 25 000x         |
| <b>Instant On</b>                               | 0.2s            |
| <b>Material</b>                                 | Aluminium       |
| <b>Operating Frequency</b>                      | 50-60 Hz        |
| <b>Temperature</b>                              | -20°C / +40°C   |
| <b>Ra ≥</b>                                     | 80              |
| <b>Life span</b>                                | 25 000 Hours    |
| <b>Color Code</b>                               | 828             |
| <b>LED Type</b>                                 | SMD             |
| <b>Lumen maintenance at end of service life</b> | 70%             |
| <b>Size of product</b>                          | 1200x28 mm      |
| <b>Size of package</b>                          | 1255x35x30 mm   |
| <b>Size of Box</b>                              | 1270x205x195 mm |
| <b>Items per pack</b>                           | 1               |
| <b>Items per box</b>                            | 30              |
| <b>Gross weight</b>                             | 0,358 kg        |

|                   |           |
|-------------------|-----------|
| <b>Net weight</b> | 0,2887 kg |
| <b>Warranty</b>   | 2 Years   |