

OPTONICA



LED High Bay Lineare 100W 6000K IP65 IK08


Potenza **Colore della luce**

• 100W



Luce fredda

Stamps



Specifiche tecniche

| | |
|-------------------------------------|---------------|
| Numero di catalogo | 8253 |
| Brand | Optonica |
| Product Code | HB100-A2 |
| Power | 100W |
| Energy Consumption | 100 kWh/1000h |
| Input voltage | AC220-240V |
| Flux | 10000 lm |
| FLUX per watt | 100lm/W |
| IP | 65 |
| Dimmable | No |
| Correlated Color Temperature | 6000K |
| Light Color | Luce fredda |
| EAN Code | 3800156682535 |
| Energy Efficiency Label | E |
| Beam angle | 120°x60° |
| On/Off Cycles | 25 000x |

| | |
|---|---------------|
| Instant On | 0.1s |
| Material | Aluminium |
| Operating Frequency | 50-60 Hz |
| Temperature | -20°C / +40°C |
| Ra ≥ | 80 |
| Life span | 25 000 Hours |
| Lumen maintenance at end of service life | 70% |
| Size of product | 603x118x92mm |
| Size of package | 590x90x137mm |
| Items per pack | 1 |
| Items per box | 5 |
| Color Of The Shell | Black |
| Color | Black |
| Warranty | 2 Years |